










Standoff Insulators

Part No.	Height (In.)	Thread Size (In.)	DIMENSIONS		
			Suggested Indoor Voltage Rating	Short Time Electrical Strength Kv	Weight (Lb.)
2165-1A	1	1/4 x 20 x 5/16 deep	600	18.6	0.06
2165-1B	1 1/4	1/4 x 20 x 5/16 deep	600	-	0.06
1603-2A	1 3/8	3/8 x 16 x 3/8 deep	600	10.0	0.19
1603-2D	1 1/2	3/8 x 16 x 3/8 deep	600	10.0	0.19
2015-1A	1 1/2	1/4 x 20 x 1/2 deep	1500	33.4	0.20
2015-2A	1 1/2	5/16 x 18 x 7/16 deep	1500	33.4	0.19
2015-3A	1 1/2	3/8 x 16 x 3/8 deep	1500	33.4	0.20
2015-2B	1 3/4	5/16 x 18 x 7/16 deep	2000	-	0.25
2015-3B	1 3/4	3/8 x 16 x 3/8 deep	2000	-	0.25
2015-2C	2	5/16 x 18 x 7/16 deep	2300	43.1	0.30
2015-3C	2	3/8 x 16 x 9/16 deep	2300	43.1	0.31
2015-4C	2	1/2 x 13 x 5/8 deep	2300	43.1	0.30
2015-3D	2 1/4	3/8 x 16 x 9/16 deep	2700	-	0.36
2015-4D	2 1/4	1/2 x 13 x 5/8 deep	2700	-	0.36
1461-1A	2 1/8	3/8 x 16 x 9/16 deep	2500	49.3	0.61
1461-1B	2 1/8	1/2 x 13 x 5/8 deep	2500	27.9	0.61
1461-1C	2 1/8	5/8 x 11 x 5/8 deep	2500	21.0	0.61
1872-1A	2 1/2	3/8 x 16 x 9/16 deep	3200	51.4	0.44
1872-2A	2 1/2	1/2 x 13 x 5/8 deep	3200	51.4	0.45
1872-3F	2 5/8	5/8 x 11 x 11/16 deep	3400	-	0.60
1872-1B	2 3/4	3/8 x 16 x 9/16 deep	3600	-	0.53
1872-2B	2 3/4	1/2 x 13 x 5/8 deep	3600	-	0.51
1872-1C	3	3/8 x 16 x 9/16 deep	4100	-	0.59
1872-2C	3	1/2 x 13 x 5/8 deep	4100	-	0.60
1872-1D	3 1/4	3/8 x 16 x 9/16 deep	4500	-	0.67
1872-2D	3 1/4	1/2 x 13 x 5/8 deep	4500	-	0.67
1872-1E	3 1/2	3/8 x 16 x 9/16 deep	5000	55.2	0.76
1872-2E	3 1/2	1/2 x 13 x 5/8 deep	5000	55.2	0.58
1872-3E	3 1/2	5/8 x 11 x 11/16 deep	5000	55.2	0.74



Mar-Bal, Inc.
5400 Reserve Way
Dublin, VA 24084 USA
Tel: 540-674-5320
Fax: 540-674-5328
www.mar-bal.com

All of the information, suggestions, and recommendations pertaining to the properties and uses of the Glastic products described herein are based upon tests and data believed to be accurate; however, the final determination regarding the suitability of any material described herein for the use contemplated, the manner of such use, and whether the use infringes any patents is the sole responsibility of the user. THERE IS NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Under no circumstances shall we be liable for incidental or consequential loss or damage.

Glastic® is a registered trademark of Röchling Glastic Composites. UL® is a registered trademark of Underwriters Laboratories, Inc.

©2012 Mar-Bal, Incorporated. All Rights Reserved. Printed in USA.